LAN Admin

System Requirements

Youngzsoft 2008 All rights reserved.

1 System Requirements

- Supported Operating Systems
 - Microsoft Windows 2000 with Service Pack 4 or above
 - Microsoft Windows XP Service Pack 2 or above
 - Microsoft Windows Server 2003
 - Microsoft Windows Vista
- Applications
 - Windows Media Player 9 or above
 - Internet Explorer 6.0 or above
- Server Computer
 - CPU: Pentium (III) 300MHz (Recommend Pentium (IV) or higher)
 - RAM: 256MB or higher recommended
 - HDD: 1.5GB of available hard disk space
 - Server Software Size: 36MB
 - Recommend display resolution
 - ◆ Single Monitor setting: 1,024x768 or 1,280x1,024
 - ◆ Dual Monitor Setting: Primary Monitor 1,024x768 or 1,280x1,024
 - ◆ Extension Monitor 1,024x768 or 1,280x1,024
 - Network Interface Card
- Networking Requirements
 - At least ONE network connection
 - TCP/IP Protocols
 - Each computer must have a unique IP address and in the LAN. Consult with the Network Administrator to verify that the IP addresses you intended to use will not interfere with other system components. Set the same subnet mask for all computers. IP address assignment of computer is both supported the static and dynamic (DHCP) methods.
 - LAN Card: 100/1000 Mbps & supports Wake-on-LAN feature.
 - Switch: 100/1000 Mbps; * IGMP filter support recommended

2 Contact

LAN Admin Youngzsoft

lanadmin@youngzsoft.net
http://www.youngzsoft.net/lanadmin/